

**TEST REPORT n. 1065/2026/I**

**CERAMIC TILES**

**UNI EN ISO 10545-7:2000**

**DETERMINATION OF RESISTANCE TO SURFACE ABRASION FOR GLAZED TILES**

<i>Date of report:</i>	11/03/2026
<i>Customer:</i>	<b>UNICOM S.r.l.</b> Casella Postale nr. 10 Via Flumendoza, 7 41042 FIORANO MODENESE (MO)
<i>Requested on:</i>	27/02/2026
<i>Our ref.number:</i>	42009
<i>Execution place of tests:</i>	Scandiano (RE)
<i>Description of the sample:</i>	"Glazed ceramic tiles 40x60 cm marked: SERIE BORGOGNA AVORIO NAT"
<i>Sampling:</i>	carried out by the customer
<i>Receipt date of samples:</i>	27/02/2026
<i>Execution date of tests:</i>	start: 09/03/2026      end: 09/03/2026
<i>Test specification:</i>	UNI EN ISO 10545-7:2000 Ceramic tiles - Determination of resistance to surface abrasion for glazed tiles
<i>Warnings:</i>	<i>This test report may not be reproduced in part without our written approval. The results reported only refer to the samples tested, as received, and are only valid under the conditions in which the work was carried out. The information enclosed in inverted commas was provided by the customer and the laboratory accepts no liability for it.</i>

**TEST REPORT n. 1065/2026/I**

**CERAMIC TILES**

**UNI EN ISO 10545-7:2000**

**DETERMINATION OF RESISTANCE TO SURFACE ABRASION FOR GLAZED TILES**

*Principle:* determination of the abrasion of glaze tiles by rotation of an abrasive load on the surface and assessment of the wear by means of visual comparison of abraded test specimens and non-abraded tiles.

Samples preparation: samples glazed surfaces clean and dry

**Test results**

Abrasion visible at: 12000 revolutions

Abrasion class: 4



The Director  
Giulia Gaido